

C-Monitor ponúka možnosť pridania úloh na sledovanie a zbieranie IP adries počítačov pre zvolený rozsah siete a zoznam počítačov pripojených do siete . Tieto úlohy sa pridávajú do schedulera, kliknutím na Tray ikonu C-monitora kde vyberiete možnosť ako je ukázaná na obrázku nižšie .

	🗐 Odoslať a prijať
	Zastaviť
	Moduly Nástroje E Záznamy
	Scheduler - Monitor Console
	Prepnúť na plochu interaktívnych služieb Vypnúť detekciu interaktívnych služieb
	 Konfigurácia Potvrdzovať vzdialený prístup O aplikácii
	0 Koniec
	 CM a Poruchy PC Easyclick požiadavky Pomoc cez vzdialený prístup Prihlásiť technika do CM
***	🔺 💽 🥵 🏴 🛱 .all 🏟 16:31

Obrázok: Vytvorenie novej úlohy v C-Monitor Scheduleri

1. Úloha v Scheduleri "Collect Network Computer List" vám v časti *CM IT monitoring -> Zóny -> Počítače v sieti* zobrazí poslednú vzorku zozbieraného zoznamu počítačov v kontrolovanej sieti s ich sieťovým názvom, IP adresou a operačným systémom ktorý je na PC nainštalovaný, v časti zóny sa nachádzajú len údaje z poslednej vzorky zaslanej C-Monitorom. Zobrazenie všetkých PC zaznamenaných za určité obdobie sa robí cez Reporty, presnejšie *CM IT monitoring -> Manažérske informácie -> Reporty -> Report Počítače v sieti* v tomto reporte sa vám zobrazia všetky zariadenia zachytené za zvolené obdobie a stačí ak sa v sieti vyskytli len raz .

Pridanie úlohy "Collect Network Computer List" je znázornené na obrázku nižšie.



Zverejnené na Customer Monitor (https://www.customermonitor.sk)



Obrázok: Vytvorenie novej úlohy v Scheduleri "Collect Network Computer List"

Následne až sa preklikáte všetkými oknami wizarda sa vám úloha pridá do schedulera ako je ukázané na nasledujúcom obrázku.

MonitorConsole			• 3 - X
C-Monitor Tools Help	Scheduler		E.
Ø Settings	Ele Edi 🔒 🏷 + 🐉 🗙 🕸 🗸 🥥 🖉 👂 🖙 🖘 🖓 🖓 Filter 64b 🔹		
	E-VCManito/CnPS checkleList.nd		
Watches	Nare / Consultine Last Execution Last Result C-Descript for CM Complete - Full 18. Apr 2012 DK	Next Execution 25. Apr 2012	Periodic Execution Every week in Wed
C-Monitor Runtime Information's	Desclonkiele condetector Wed, 2110268 Elapted File: 00021	Well, 14:40:00	
Waiting Tasko	C-Descript for CH Complete - Differential 19. Apr 2012 01. DescConcises The, 14:41:15 Elapsed Time: 0:00:44	20. Apr 2012 Frii, 14:40:00	Every day
Humming Fasico Watches State Watches Durient Log	C-Descript for CH - Current User Details: 19. Apr 2012 DK DescConcere The. 14:42:15	20. Apr 2012 Fri., 14:40:00	Every day
E-Monitor Durrent Log	C-Descript Complete for archive 9. Apr 2012 Pridaná úloha Collect DesCore ese complete la active ada Mon. 21:0:30 Network Computer List	8. May 2012 Tue, 14:40:00	Every nonth
 Emails Enails from Tasks, Watches waiting for sending Received, processed Enails 	Open/VPN 13. Apr 2012 open/uprog/#10.3 eve The. 15.54 21		
Envalo waiting for sending Envalo - All without waiting for sending)	C-Descript : NetCompList Details - Collect DescCore ese	19. Apr 2012 Thu, 16:40:00	Every 5 ninutes
Sent Emails - C-Monitor System Messages Sent Emails - User and System tasks Result:	C-Descript : NetCompLint Details - Report DescCons.eve	19. Apr 2012 Thu, 15:40:00	Every dap
Sent Einalis - Responses to DN queries Not Sent Einalis - Disabled Not Sent Einalis - Failed			
徑 History	Additional		
Executed Tasks C-Monitor Execution, C-Monitor Log History Scheduler, Biotecution, C-Monitor Log History	C-Descript : NetCompList Details - Report		
watones Heroly System Info Network Info	Next Possible Execution The, 19. Apr 2012, 16:49:00		
Execution Fails	Execute from Thu, 19. Apr 2012 at 16:40:00		
Modules logs	Execute Every day Min interval between executions Automatic		
C-BackupPlus Logs C-Image Logs	Command Line 		

Obrázok: Vytvorená úloha "Collect Network Computer List" a jej zobrazenie v Scheduleri

2. Úloha v Scheduleri "Collect Ping responses" vám v časti *CM IT monitoring -> Zóny -> IP scaner* zobrazí poslednú vzorku zozbieraných IP adries počítačov v zvolenom rozsahu sieti s ich sieťovým názvom, IP adresou, v časti zóny sa nachádzajú len údaje z poslednej vzorky zaslanej C-Monitorom.



Zobrazenie všetkých IP adries zaznamenaných za určité obdobie sa robí cez Reporty, presnejšie *CM IT monitoring -> Manažérske informácie -> Reporty -> Report IP adresy* v tomto reporte sa vám zobrazia všetky IP adresy zachytené za zvolené obdobie a stačí ak sa v sieti vyskytli len raz.

Pridanie úlohy "Collect Ping responses" je znázornené na obrázku nižšie.



Obrázok: Vytvorenie novej úlohy v Scheduleri "Collect IP addresses"

Následne si v sprievodcovi zvolíte rozsah siete pre ktorý sa budu IP adresy zbierať.



Zverejnené na Customer Monitor (https://www.customermonitor.sk)

		Scheduler				
	Eile Edit	🍾 + 🐉 🗙 🖉 🗢 🗸	🕨 🗠 🍄 🕹 🖡	ilter <al></al>	•	
	C:VCMonitorVCnI/ScheduleList.sdl					
	Name / Command Line Last Execution Last Result					
	C-Descript for CM	Complete - Full	18. Apr 2	012 OK	25. Ap	
	DescCons.exe <u>co</u>	mplete.sds	Wed, 21:1	5:58 Elapsed Time: 0:00:21	Wed, 1	
nformation's	C-Descript for CM DescCons.exe	Complete - Differential	19. Apr 20 Thu, 14:41	012 OK 1:15 Elapsed Time: 0:00:44	20. Apr Fri, 14:4	
	C-Descript for IP DescCons.exe	Scanner - Collects Ping Response:	s 200	2	20. Ap Fri, 14:	
	C-Descript Co DescCons.exe	Descript		Zvolte si rozsah	8. May Tue, 14	
waiting for sending		Set PING range command param	neters	siete		
or sending) ystem Messages ystem tasks Riesult: to CM queries id		PING from IP address (included) 1 192168.1.1 Retry Count Timeout [ms] S Default Timeout [ms] S	folPaddress (included) 192.168.1.254 Spacing [ms] Default 💌	HEIT		
tor Log History	Essential C-Descrip DescCons.exe	< Back Next >		Cancel		
	Next Possible Execu Tue, 8. May 2012, 14	tion 4:40:00				
	Execute from Execute	Wed, 8. Feb 2012 at 14:40:00 Every month				

Obrázok: Nastavenie rozsahu siete sledovanej IP scanerom

Po preklikaní všetkých okien wizarda sa vám úloha pridá do schedulera ako je ukázané na nasledujúcom obrázku.

	Elle Edk 🔄 🏂 🗢 🕼 🗙 🗠 🗸 🤤 🕨 🖙	∲ ∛ Filter	cAlb 🔹			
	C:\DMonitor\Dni\ScheduleList.sd					
	Name / Command Line	Last Execution	Last Result	Next Execution Periodic Execution		
	C-Descript for CM Complete - Full DescCons.exe complete.sds	18. Apr 2012 Wed, 21:15:58	DK. Elapsed Time: 0:00:21	25. Apr 2012 Every week in Wed Wed, 14:40:00		
nation's	C-Descript for CM Complete - Differential DescCons.exe	19. Apr 2012 Thu, 14:41:15	DK. Elapsed Time: 0:00:44	20. Apr 2012 Every day Fri, 14:40:00		
	C-Descript for CM - Current User Details DescCors.exe	19. Apr 2012 Thu, 14:40:15	DK. Elapsed Time: 0:00:26	20. Apr 201 Fri. 14:40:00 Pridaná úloha		
	C-Descript Complete for archive DescCons.exe <u>complete for archive.sds</u>	9. Apr 2012 Mon, 21:16:30	DK. Elapsed Time: 0:01:58	8. May 2011 Collect IP addresses Tue, 14:40:0		
) for sending	C-Descript : IP Scanner - Collect DescCors.exe			19. Apr 2012 Every 60 minutes Thu, 17:40:00		
inal	C-Descript : IP Scanner - Report DescCons.exe			20. Apr 2012 Every day Fri. 16:40:00		
vlessages asks Result: queries						

Obrázok: Vytvorená úloha "Collect IP addresses" a jej zobrazenie v Scheduleri



Zverejnené na Customer Monitor (https://www.customermonitor.sk)

3. Ak potrebujete napríklad zdetekovať zariadenie v sieti pretože potrebujete zistiť jeho IP adresu ako sú napríklad NAS úložiská C-Monitor ponúka účinné riešenie v podobe zabudovaného IP scannera, ktorý vám vypíše všetky pripojené zariadenia na sieti z vami určeného rozsahu s možnosťou uloženia tohoto zoznamu. Ručne spustenie IP Scanner sa robí cez tray menu C-Monitora ako je ukázané na nasledujúcom obrázku.

	Zastaviť
	Moduly •
IP Scanner	Nástroje
	Scheduler - Monitor Console
	Prepnúť na plochu interaktívnych služieb Vypnúť detekciu interaktívnych služieb
	 Konfigurácia Potvrdzovať vzdialený prístup O aplikácii
	🗿 Koniec
	 Que CM a Poruchy PC Easyclick požiadavky Pomoc cez vzdialený prístup Prihlásiť technika do CM
	🔺 🙆 🛃 🏴 🛱 📶 🅪 16:31

Obrázok: Ručne spustený IPScannera v Tray menu C-Monitora

V nasledujúcom okne si zvolíte rozsah siete pre ktorý chcete detekciu vykonať a kliknete na tlačidlo *scan*.



Zverejnené na Customer Monitor (https://www.customermonitor.sk)

G IP Scanner		x
PING from IP address (included) To IP address (included) 10.40.3.33 10.40.3.34 Select Next IP		
Retry Count Timeout [ms] Spacing [ms] Max Parallel Pings Default Default Default Scan		
Estimated running time : 0:00:23 Zvolte si rozsah		
From IP : 10.40.3.33 Siete To IP : 10.40.3.34		^
Retries for each IP : 4 x Ping Timeout : 5000 ms Threads Start Spacing : 25 ms Max Parallel Pings : 100		
10.40.3.34 MAC 00:FF:AC:D9:98:CC Name Juraj-HP.local ABORTED		
Total Found IP : 1		
		-
		•
	/ 🔄 S	ave

Obrázok: Nastavenie rozsahu siete a spustenie IP scanera

Viac o utilite IP scanner sa dočítate v časti<u>Utility</u> [1]. Date:



Odkazy

[1] https://www.customermonitor.sk/ako-funguje-cm/cm-vnutorna-architektura/c-monitor-windows-klient/utility

- [2] https://www.customermonitor.sk/sites/default/files/ip%20scaner%201.png
- [3] https://www.customermonitor.sk/sites/default/files/ip%20scaner%202.png
- [4] https://www.customermonitor.sk/sites/default/files/ip%20scaner3.png
- [5] https://www.customermonitor.sk/sites/default/files/ip%20scaner%204.png



Zverejnené na Customer Monitor (https://www.customermonitor.sk)

- [6] https://www.customermonitor.sk/sites/default/files/ip%20scaner5.png
- [7] https://www.customermonitor.sk/sites/default/files/ip%20scaner%206.png
- [8] https://www.customermonitor.sk/sites/default/files/ip%20scaner%207.png
- [9] https://www.customermonitor.sk/sites/default/files/ip%20scaner%208.png